INDEX TO VOLUME 8

A

Page

Absorption of radiation by metallic silver, RP421 357
Absorption spectrum, infra-red of *n*-decane, RP438 583
Acids, delta lactones of sugar, RP441 615
Acree, S. F., G. M. Kline and, Volumetric determination of pentoses and pentosans, RP398 25
——, *M. R. Meacham, G. M. Kline and,* On elimination of liquid contact potentials with potassium chloride and ammonium chloride, RP403 101
Adjustment, gas burner, for safety and efficiency, RP446 669
Air, heat transfer by convection in air, RP452 787
Air, temperature distribution in, RP452 787
Airplane mapping, optical requirements of, RP427 445
Aldoses, bromine oxidation of, RP418 327
Alloys and metals, shrinkage of, RP399 37
Alpha particles for weak sources and large solid angles, RP419 339
Alpha rays, RP437 579
Alternating-current instruments, composite-coil type, RP411 217
Ammeter, composite-coil type, RP411 217
An optical method for the study of temperature distribution and convective heat transfer, RP452 787
Antennas, directional, graphical determination of polar patterns, RP435 555
Antimony, effect on bearing bronzes, RP442 625
Apparatus for extraction with low-boiling solvents, RP439 591
Appliances, gas, design of burners for, RP446 669
Aqueous sugar solutions, compressibility and density of, as a function of concentration and temperature, RP402 79
l-arabinose, bromine oxidation of, RP418 327
Arc lamps, ultra-violet radiation from, RP450 759
Arc spectrum of phosphorous, RP425 393
Ash, E. J., C. M. Saeger, jr., and, A method for determining the volume changes occurring in metals during casting, RP399 37
——, *and C. M. Saeger, jr.,* Volume changes of cast irons during castings, RP440 601
Astbury, N. F., L. Hartshorn, C. Matilda Sparks, Harvey L. Curtis, and, Capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Attenuation of radio waves, RP429 463

B

Band spectra, chromium and vanadium oxide, RP423 381
Bates, F. J., Harriet L. Frush, Horace S. Isbell and, Manufacture of calcium gluconate by the electrolytic oxidation of dextrose, RP436 571
Bearing bronze (Cu 80:Sn 10:Pb 10), effect of casting temperatures and additions of iron on, RP401 67
Bearing metals, effect of antimony on 80 Cu: 10 Sn:10 Pb, RP442 625
Beek, jr., John, A contribution relative to the structure of collagen, RP434 549
Berker, L. V., Some studies of radio transmission over long paths made on the Byrd Antarctic expedition, RP412 265
Bogue, R. H. L. T. Brownmiller and, System $CaO-Na_2O-Al_2O_3$, RP414 289

Page

Brittleness, secondary, of rail steels, RP408 173
Bromine oxidation of aldoses, RP441 615
Bromine oxidation of dextrose, RP436 571
Bromine oxidation of sugars, RP418 327
Bromine, soluble, in photographic emulsions, determination of, RP447 711
Bronze, bearing effect of antimony on, RP442 625
Bronze (Cu 80:Sn 10:Pb 10), effect of casting temperatures and additions of iron on bearing, RP401 67
Bruun, Johannes, Mildred M. Hicks-Bruun and, Isolation and determination of normal heptane and of methylcyclohexane in a midcontinent petroleum. (Including a determination of the phase equilibrium diagram for the condensed system normal heptane methylcyclohexane.), RP432 525
——, *and Mildred M. Hicks-Bruun,* Isolation of normal decane from petroleum by distillation and equilibrium melting, RP438 583
Brownmiller, L. T., and R. H. Bogue, System $CaO-Na_2O-Al_2O_3$, RP414 289
Bunting, E. N., Phase equilibra in the system $SiO_2ZnO-Al_2O_3$, RP413 279
Burners, gas, a method for design of, RP446 669
Byrd Antarctic expedition, some studies of radio transmission over long paths made on, RP412 265

C

Calcium chloride compounds of methyl-*d* gulosides, RP396 1
Calcium gluconate, basic calcium salt, RP436 571
preparation of, RP436 571
Capacitor capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Capacitor, capacitance and power factor of a mica, as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Carroll, Burt H., and Donald Hubbard, The photographic emulsion: Analysis for nonhalide silver and soluble bromine, RP447 711
——, ——, The photographic emulsion: Silver ion and hydrogen ion concentrations and sensitivity, RP430 481
Cast irons, solidification shrinkage, RP440 601
volume changes, RP440 601
Casting temperatures and of additions of iron on bearing bronze (Cu 80:Sn 10:Pb 10), effect of, RP401 67
Cathode rays, photographic registration of, RP400 61
Cellobiose, oxidation of, with bromine water, RP441 615
Cells, standard, international comparison of, RP448 729
Centrifuge, adapted for use at low temperatures, RP432 525
Centrifuge for equilibrium melting, RP438 583
Centrifuge for use in fractionation by equilibrium melting, RP432 525
Charpy impact tests on rail steels at elevated temperatures, RP409 191
Chemical analysis of kaolins, RP410 199
Chromium oxide, band spectrum, RP423 381

Page

Cloud chamber, RP437 579
Cobalt, determination of, in steels, RP445 659
Coblentz, W. W., R. Stair, and J. M. Hogue, Tests of a balanced thermocouple and filter radiometer as a standard ultra-violet dosage intensity meter, RP450 759
——, ——, ——, The spectral erythemic reaction of the untanned human skin to ultra-violet radiation, RP433 541
Coefficient of volume shrinkage, liquid cast iron, RP440 601
Collagen, structure of, RP434 549
Comparison of X-ray standards:
RP397 9
RP417 325
Composite-coil electrodynamic instruments, RP411 217
Compressibility measurements on distilled water and aqueous sugar solutions by ultrasonic interferometer using relation: (velocity)^2=(adiabatic compressibility×density)$^{-1}$, RP402 79
Compressibility of liquids by ultrasonic interferometer method, RP402 79
Compressibility of solid particles in suspension by ultrasonic interferometer, RP402 79
Condenser, capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Conductivity of purified rubber, RP449 751
Constant-frequency generator, RP406 141
Contact potentials, RP403 101
Continuous extraction with low-boiling solvents, RP439 591
Contraction, cast irons, RP440 601
Contraction, metals and alloys, RP399 37
Copper, soldered, pitting of tinned and soldered, RP422 365
seam corrosion of, RP422 365
weathering tests, RP422 365
tinned, weathering tests, RP422 365
Corrosion by contact of tin or solder and copper, RP422 365
Cuprous oxide, electrometric titration of, RP426 403
Curtis, Harvey L., C. Matilda Sparks, L. Harlshorn, and N. F. Astbury, Capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Curtiss, L. F., Fluctuations of the rate of emissions of α particles for weak sources and large solid angles, RP419 339
——, Simplified automatic Wilson chamber, RP437 579

D

Davies, G. L., and W. H. Orton, Graphical determination of polar pattern of directional antenna systems, RP435 555
n-decane, isolation of, from petroleum, RP438 583
physical constants of pure, RP438 583
Decrement of U bars, RP443 635
Densities of levulose solutions, RP426 403
Density of crystalline levulose, RP426 403
Density of purified rubber, RP449 751
Density, solid cast iron, RP440 601
Design, gas burner, a method for, RP446 669
Deterioration of paper, RP407 159
Determination of tin in irons and steels, RP415 309
Dextrose, oxidation of, RP436 571
Dielectric constant of purified rubber, RP449 751
Directional antenna systems, graphical determination of polar patterns, RP435 555
Distillation of *n*-heptane and methycyclohexane in petroleum, RP432 525
Distillation of petroleum, RP438 583
Distilled water, velocity of sound in and compressibility of, as a function of temperature, RP402 79
Dosage intensity meter, tests of a filter radiometer, RP450 759
Dosage meters, X-ray, RP424 385
Ductility of rail steels at elevated temperatures, RP408 173

Page

Dynamic tests on rail steels at elevated temperatures, RP409 191

E

Efficiency, gas burners, design and adjustment for, RP446 669
Eggenschwiler, C. E., Effect of antimony on the mechanical properties of a bearing bronze (Cu 80:Sn 10:Pb 10), RP442 625
——, Effect of casting temperature and additions of iron on bearing bronze (Cu 80:Sn 10:Pb 10), RP401 67
Eiseman, John H., Elmer R. Weaver, and Francis A. Smith, A method for determining the most favorable design of gas burners, RP446 669
Electric distribution of time, RP406 141
Elastic hysteresis of the decrement of a freely vibrating U bar, RP443 635
Electrical standards, comparison of, RP448 729
Electrode, a pyconometer for determining the volume change occurring at an, RP428 457
Electrodynamic instruments, composite-coil type, RP411 217
Electrolytic oxidation of dextrose, RP436 571
Electrometric titrations, RP398 25
Electrophoresis of wool, RP451 779
Electrons, high-speed, photographic registration of, RP400 61
Electrostatic voltmeter, RP404 111
Elevated temperature impact properties of rail steels, RP409 191
Elevated temperatures, tensile properties of rail steels at, RP408 173
Elimination of contact potential with organic acids and acid salts, RP403 101
Elimination of contact potential with saturated potassium chloride, RP403 101
Elimination of contact potentials, RP403 101
Elimination of corrections to reversible pendulum, RP444 657
Elongation of rail steels at elevated temperatures, RP408 173
Emission and absorption of radiation by metallic silver, RP421 357
Equilibrium melting, isolation of *n*-decane by, RP438 583
Equilibria, phase, in system CaO–Na_2O–Al_2O_3, RP414 289
Equilibria, phase, in the system SiO_2–ZnO–Al_2O_3, RP413 279
Equilibrium melting as a means of separating *n*-heptane and methylcyclohexane, RP432 525
Equilibrium melting with the aid of centrifuge to purify compounds with low-freezing points, RP432 525
Erythema, spectral-erythemic reaction of skin to ultra-violet radiation, RP433 541
Ethyl alcohol, heat of combustion, RP405 119
Expansion (thermal), red (85-5-5-5) brass, RP399 37
Extraction apparatus for use with low-boiling solvents, RP439 591

F

Feldspar, gases in, RP420 347
Ferguson, W. F. C., The chromium oxide and the vanadium oxide band spectra, RP423 381
Field intensity measurements from 285 to 5,400 kilocycles per second, RP429 463
Filter radiometry, tests of, as a dosage intensity meter, RP450 759
Fiock, E. F., and D. C. Ginnings, Heat of vaporization of water at 50°, 70°, and 90° C., RP416 321
Flexure correction, RP444 657
Frush, Harriet L., F. J. Bates, Horace S. Isbell and, Manufacture of calcium gluconate by the electrolytic oxidation of dextrose, RP436 571
Furfural losses due to nitrates, RP398 25

G

d-galactose, bromine oxidation of, RP418 327
Gardner, I. C., The optical requirements of airplane mapping, RP427 445

Page

Gas burners, most favorable design of, RP446 669
Gases in feldspar, RP420 347
Geiger counter, RP419 339
Generator, constant-frequency, RP406 141
Ginning, D. C., E. F. Flock and, Heat of vaporization of water at 50°, 70°, and 90° C., RP416 321
d-glucose, bromine oxidation of, RP418 327
Gulosides, crystalline α- and β- methyl-*d*-gulosides, tetra-acetyl-methyl-*d*-gulosides, RP396 1

H

Harris, Milton, The isoelectric point of wool, RP451 779
Hartshorn, L., N. F. Astbury, C. Matilda Sparks, Harvey L. Curtis and, Capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Heat, latent, of vaporization of water, RP416 321
Heat of combustion of ethyl alcohol, RP405 119
Heat of combustion of methyl alcohol, RP405 119
Heat transfer by convection in air, RP452 787
Heindl, R. A., W. L. Pendergast, and L. E. Mong, Kaolins; effect of firing temperature on some of their physical properties, RP410 199
n-heptane from petroleum, RP432 525
Heyl, Paul R., an unrecognized property of the reversible pendulum, RP444 657
Hicks-Bruun, Mildred M., and Johannes H. Bruun, Isolation and determination of normal heptane and of methylcyclohexane in a midcontinent petroleum. (Including a determination of the phase equilibrium diagram for the condensed system normal heptane-methylcyclohexane.), RP432 525
——, ——, Isolation of normal decane from petroleum by distillation and equilibrium melting, RP438 583
High-speed tool steels, determination of cobalt in, RP445 659
Hoffman, James I., A method for the accurate determination of cobalt in magnet and high-speed tool steels, RP445 659
Hogue, J. M., R. Stair, W. W. Coblentz and, Tests of a balanced thermocouple and filter radiometer as a standard ultra-violet dosage intensity meter, RP450 759
——, ——, ——, The spectral erythemic reaction of the untanned human skin to ultra-violet radiation, RP433 541
Holscher, H. H., G. R. Shelton and, Gases obtained from commercial feldspars heated in vacuo, RP420 347
Hubbard, Donald, The photographic emulsion: Silver ion and hydrogen ion concentrations and sensitivity, RP430 481
——, *Burt H. Carroll and,* The photographic emulsion: Analysis for nonhalide silver and soluble bromide, RP447 711
Hudson, C. S., H. S. Isbell and, The course of the oxidation of the aldose sugars by bromine water, RP418 327
Hydrocarbons from petroleum, RP432 525
Hydrogen ion concentration, RP430 481
Hysteresis, elastical, RP443 635

I

Impact resistance of rail steels at elevated temperatures, RP409 191
Indices, refractive, of levulose solutions, RP426 403
Infra-red spectrum of phosphorus, RP425 393
Interferometer as an instrument for measuring temperatures of air near heated surfaces, RP452 787
International comparison of electrical standards, RP448 729
International X-ray units comparison, RP417 325
Ionization chambers, X-ray:
RP417 325
RP424 385
RP397 9
Ionization potential of phosphorus, RP425 393

Page

Ionization, X-ray, RP424 385
Ionometers, X-ray, RP424 385
Iron of bearing bronze (Cu 80:Sn 10:Pb 10), effect of casting temperatures and additions of, RP401 67
Irons, determination of tin in, RP415 309
Isbell, Horace S., A study of the delta lactones formed by the oxidation of aldoses with bromine water, RP441 615
——, *Harriet L. Frush, and F. J. Bates,* Manufacture of calcium gluconate by the electrolytic oxidation of dextrose, RP436 571
——, The preparation of crystalline methyl-*d*-gluosides by means of coordination compounds with calcium chloride, RP396 1
——, *and C. S. Hudson,* The course of oxidation of the aldose sugars by bromine water, RP418 327
Isolectric point of wool, RP451 779

J

Jackson, Richard F., and Joseph A. Mathews, Some physical properties of levulose and its estimation by copper reduction methods, RP426 403

K

Kaolins after heating, porosity of, RP410 199
chemical analysis of, RP410 199
some properties of, RP410 199
specific gravity of, RP410 199
thermal expansion of, RP410 199
X-ray diffraction patterns of, RP410 199
Kater pendulum, RP444 657
Kennard, R. B., An optical method for the study of temperature distribution and convective heat transfer, RP452 787
Keulegan, G. H., Investigation of the method of determining the relation of statical hysteresis and flexural stress by measurement of decrement of a freely vibrating U bar, RP443 635
Kiess, C. C., The arc spectrum of phosphorus, RP425 393
Kimberley, Arthur E., Deteriorative effect of sulphur dioxide upon paper in an atmosphere of constant humidity, RP407 159
Kirby, S. S., and K. A. Norton, Field intensity measurements at frequencies from 285 to 5,400 kilocycles per second, RP429 463
Kline, G. M., M. R. Meacham, and S. F. Acree, On elimination of liquid contact potentials with potassium chloride and ammonium chloride, RP403 101
——, *and S. F. Acree,* Volumetric determination of pentoses and pentosans, RP398 25
Knife-edge, correction for time of swing of pendulum, RP444 657
Kosting, Peter R., Accelerated weathering tests of soldered and tinned sheet copper, RP422 365

L

Lactones of sugar acids, RP441 615
Lactones derived from sugars by bromine oxidation, RP418 327
Lactose, bromine oxidation of, RP418 327
Lactoses, oxidation of, with bromine water, RP441 615
Lamps, arc, ultra-violet radiation from, RP450 759
Latent heat of vaporization of water, RP416 321
Leslie, R. T., A laboratory apparatus for the continuous extraction of liquids by low-boiling solvents, RP439 591
Levulose, density of, RP426 403
densities of solutions of, RP426 403
purification of, RP426 403
refractive indices of solutions of, RP426 403
saccharimetric rotations of (Munson and Walker), RP426 403
selective reduction methods for, RP426 403
Lewis, A. B., A clock-controlled constant-frequency generator, RP406 141
Library storage conditions, RP407 159
Lime, RP414 289

M

McPherson, A. T., A method for the purification of rubber and properties of purified rubber, RP449 — 751
Magnet steels, determination of cobalt in, RP445 — 659
Malmberg, C. G., Warren W. Nicholas and, Registration of cathode rays by thin films of metals and metal compounds, RP400 — 61
Maltose, oxidation of, with bromine water, RP441 — 615
d-mannose, oxidation of, with bromine water, RP441 — 615
Mapping, the optical requirements of, RP427 — 445
Mathews, Joseph A., Richard F. Jackson and, Some physical properties of levulose and its estimation by copper reduction methods, RP426 — 403
Meacham, M. R., S. F. Acree, G. M. Kline and, On elimination of liquid contact potentials with potassium chloride and ammonium chloride, RP403 — 101
Measurements, X-ray, RP424 — 385
Metals and alloys, shrinkage of, RP399 — 37
Metals, bearing, effect of antimony on 80 Cu: 10 Sn: 10 Pb, RP442 — 625
Methyl alcohol, heat of combustion, RP405 — 119
Methylcyclohexane from petroleum, RP432 — 525
Methyl-*d*-gulosides, RP396 — 1
Mohler, F. L., Experiments on the emission and absorption of radiation by metallic silver, RP421 — 357
Mong, L. E., W. L. Pendergast, R. A. Heindl and, Kaolins; effect of firing temperature on some of their physical properties, RP410 — 199

N

Nicholas, Warren W., An electrostatic voltmeter, RP404 — 111
——, *and C. G. Malmberg*, Registration of cathode rays by their films of metals and metal compounds, RP400 — 61
α-nitroso-β-naphthol, use of, in determining cobalt, RP445 — 659
Norton, K. A., S. S. Kirby and, Field intensity measurements at frequencies from 285 to 5,400 kilocycles per second, RP429 — 463
Nyns' selective determination of levulose, RP426 — 403

O

Optical requirements of airplane mapping, RP427 — 445
Optical rotations of the methyl-*d*-gulosides and their tetra-acetates, RP396 — 1
Orton, W. H., G. L. Davies and, Graphical determination of polar pattern of directional antenna systems, RP435 — 555
Oxidation of aldoses, RP441 — 615
Oxidation of sugars with bromine water, RP418 — 327
Oxide, chromium, band spectra, RP423 — 381
Oxide, vanadium, band spectrum, RP423 — 381

P

Paper, deterioration of, RP407 — 159
effect of sulphur dioxide on, RP407 — 159
permanence of, RP407 — 159
preservation of, RP407 — 159
Pendergast, W. L., L. E. Mong, R. A. Heindl and, Kaolins; effect of firing temperature on some of their physical properties, RP410 — 199
Pendulum, time swing of, RP444 — 657
reversible, RP444 — 657
Pentosans, determination of, RP398 — 25
Pentoses, volumetric determination of, RP398 — 25
Permanence of paper, RP407 — 159
Petroleum, composition of, RP432 — 525
isolation of *n*-decane from, RP438 — 583
Phase-equilibrium diagram for the condensed system of *n*-heptane-methylcyclohexane, RP432 — 525
Phase equilibria in system CaO-Na_2O-Al_2O_3, RP414 — 289
Phase equilibria in the system SiO_2-ZnO-Al_2O_3, RP413 — 279
Phosphorous spectrum, RP425 — 393
Photographic emulsions:
RP430 — 481
RP447 — 711
Photographic objectives for airplane mapping, RP427 — 445
Photographic registration of cathode rays, RP400 — 61
Photographic sensitivity, RP430 — 481
Piezo-electric circular quartz disk used as source of high frequency compressional waves in liquids, RP402 — 79
Pitting of tinned and soldered copper, RP422 — 365
Polar patterns, graphical determination for directional antenna systems, RP435 — 555
Porosity of kaolins after heating, RP410 — 199
Power factor capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 — 507
Power factor of purified rubber, RP449 — 754
Preservation of paper, RP407 — 159
Properties, tensile, of rail steels at elevated temperatures, RP408 — 173
Purified rubber, preparation and properties of, RP449 — 751
Pycnometer for determining the volume change occurring at an electrode, RP428 — 457
Pyrex glass suspensions prepared and used in an effort to determine the compressibility of Pyrex glass by an ultrasonic velocity method RP402 — 79

Q

Quick, G. Willard, Tensile properties of rail steels at elevated temperatures, RP408 — 173
——The resistance to impact of rail steels at elevated temperatures, RP409 — 191

R

Radiation, spectral erythemic reaction of skin to ultra-violet, RP433 — 547
Radio transmission, some studies of, over long paths made on the Byrd Antarctic expedition, RP412 — 265
Radio, wave attenuation of, RP429 — 463
Rail steels, ductility of, at elevated temperatures, RP408 — 173
secondary brittleness of:
RP409 — 191
RP408 — 173
tensile properties at elevated temperatures, RP408 — 173
Randall, Chester R., Ultrasonic measurements of the compressibility of solutions and solid particles in suspension, RP402 — 79
Ray tracks, RP437 — 579
Rays, cathode, photographic registration of, RP400 — 61
Reduction of area of rail steels at elevated temperatures, RP408 — 173
Refractive index of purified rubber, RP449 — 751
Refractive indices of levulose solutions, RP426 — 403
Registration of cathode rays, RP400 — 61
Resistance standards, international comparison, RP448 — 729
Reversible pendulum, RP444 — 657
l-rhamnose, oxidation of, with bromine water, RP441 — 615
Rossini, Frederick D., The heats of combustion of methyl and ethyl alcohols, RP405 — 119
Rubber, a method for the purification of, and properties of the purified, RP449 — 751

S

Saccharimetric normal weight of levulose, RP426 — 403
Saeger, jr., C. M., and E. J. Ash, A method for determining the volume changes occurring in metals during casting, RP399 — 37
—— *E. J. Ash and*, Volume changes of cast irons during castings, RP440 — 601

Page

Safety, design of gas burners for, RP446 669
Scherrer, J. A., Determination of tin in irons and steels, RP415 309
Secondary brittleness of rail steels, RP409 191
Separation of hydrocarbons by continuous extraction with liquid sulphur dioxide in the laboratory, RP439 591
Series in phosphorous spectrum, RP425 393
Shelton, G. R., and H. H. Holscher, Gases obtained from commercial feldspars heated in vacuo, RP420 347
Shrinkage of metals and alloys, RP399 37
Silsbee, Francis B., Composite-coil electrodynamic instruments, RP411 217
Silver, emission and absorption of radiation by metallic, RP421 357
Silver ion concentration, RP430 481
Silver, nonhalide, in photographic emulsions, determination of, RP447 711
Silver voltameter, international comparisons of, RP448 729
Singer, George, Lauriston S. Taylor and, Air density corrections for X-ray ionization chambers, RP424 385
Skin, spectral erythemic reaction of human, to ultra-violet, RP433 541
Smith, E. R., Note on the moving boundary method for measuring transference numbers. A pycnometer for determining the volume change occurring at an electrode and its application to a cathode of silver chloride in a solution of potassium chloride, RP428 457
Soldering copper, weathering tests of, RP422 365
Solidification shrinkage, cast irons, RP440 601
metals and alloys, RP399 37
Sound velocity in liquids by ultrasonic interferometer, RP402 79
Smith, Francis A., Elmer R. Weaver, John H. Eiseman and, A method for determining the most favorable design of gas burner, RP446 669
Sparks, C. Matilda, L. Hartshorn, N. F. Astbury, Harvey L. Curtis and, Capacitance and power factor of a mica capacitor as measured at the Bureau of Standards and the National Physical Laboratory, RP431 507
Specific gravity of kaolins, RP410 199
Specific volume, liquid cast iron, RP440 601
liquid metal, RP399 37
solid metal RP399 37
Specification, recommended, for minimum ultra-violet intensity, RP450 759
Spectra, band, of chromium and vanadium oxide, RP423 381
Spectral erythemic reaction of skin, RP433 541
Spectrum of phosphorous, RP425 393
Spinel, melting point of zinc, RP413 279
Stair, R., J. M. Hogue, W. W. Coblentz and, Tests of a balanced thermocouple and filter radiometer as a standard ultra-violet dosage intensity meter, RP450 759
——, ——, ——, The spectral erythemic reaction of the untanned human skin to ultra-violet radiation, RP433 541
Standard cells, international comparison of, RP448 729
Statical hysteresis of the decrement of a freely vibrating U bar, RP443 635
Steels, determination of tin, in RP415 309
rail, ductility of, at elevated temperatures, RP408 173
secondary brittleness of:
RP408 173
RP409 191
Storage conditions, library, RP407 159
Structure of collagen, RP434 549
Sugars, oxidation of, with bromine water, RP441 615
Sulphur dioxide, effect of, on paper, RP407 159

T

Taylor, Lauriston S., and George Singer, Air density corrections for X-ray ionization chambers, RP424 385
——, International comparison of X-ray standards, RP397 9
Taylor, Lauriston S., Note on international comparison of X-ray standards, RP417 325
Temperature distribution in air, RP452 787
Tensile strength of rail steels at elevated temperatures, RP408 173
Test, accelerated weathering, RP422 365
Tests, atmospheric corrosion, of copper, RP422 365
charpy impact, on rail steels at elevated temperatures, RP409 191
Tests of a thermocouple and filter radiometer, RP450 759
Tetra-acetyl-methyl-*d*-gulosides, RP396 1
The preparation of crystalline methyl-*d*-gulosides by means of coordination compounds with calcium chloride, RP396 1
Thermal expansion of kaolins, RP410 199
Thermal expansion, red (85-5-5-5) brass, RP399 37
Thermocouple, balanced, and filter radiometry as a dosage intensity meter, RP450 759
Time, electric distribution of, RP406 141
Time of swing of pendulum, RP444 657
Tin, determination of, in irons and steels, RP415 309
Tinned copper, weathering tests of, RP422 365
Transference number, note on the moving boundary method for measuring, RP428 457

U

U bars, decrement of, RP443 635
U bars, vibration of, RP443 635
Ultrasonic interferometer for sound velocity measurements on liquids, RP402 79
Ultra-violet, radiometry of, by a filter method as a dosage intensity meter, RP450 759
Ultra-violet, spectral erythemic reaction of skin to, RP433 541
Ultra-violet spectrum of phosphorous, RP425 393
Units, X-ray:
RP397 9
RP417 325
X-ray comparison, international:
RP397 9
RP417 325

V

Vanadium oxide, band spectrum, RP423 381
Vibration of U bars, RP443 635
Vinal, George W., International comparison of electrical standards, RP448 729
Voltmeter, electrostatic, RP404 111
Volume changes, metals and alloys, RP399 37

W

Water, latent heat of vaporization, RP416 321
Wattmeter, composite-coil type, RP411 217
Weathering of tinned and soldered copper, RP422 365
Weaver, Elmer R., Francis A. Smith, John H. Eiseman and, A method for determining the most favorable design of gas burner, RP446 669
Wilson chamber, simplified automatic chamber, RP437 579
Wool, isoelectric point of, RP451 779

X

X-ray diffraction patterns of kaolins, RP410 199
X-ray dosage, RP424 385
X-ray dosage meters, RP424 385
X-ray ionization chambers, RP424 385
X-ray ionometers, RP424 385
X-ray measurements, RP424 385
X-ray standardization:
RP397 9
RP417 325
RP424 385
X-ray units, comparison of:
RP397 9
RP417 325
X-rays, RP397 9
d-xylose, bromine oxidation of, RP418 327

U. S. DEPARTMENT OF COMMERCE
ROY D. CHAPIN, Secretary
U.S.
BUREAU OF STANDARDS
LYMAN J. BRIGGS, Acting Director

BUREAU OF STANDARDS JOURNAL OF RESEARCH

Volume 8

January to June, 1932

Research Papers Nos. 396 to 452

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1932

Corrections to be noted for volume 8 of the Bureau of Standards Journal of Research

Page	Line	Now reads	Should read
16	3 under table	Runs 1 and 2	Runs 1 and 3
16	4 under table	; run 3 was made	; run 2 was made
24	2	more than one-tenth of the radiation	more than one-tenth of 1 per cent of the radiation
135	11	$\left(-\frac{dQ}{dT}\right)$	$\left(-\frac{dQ}{dT}\right)$
183	Footnote 4	R. E. Barnes	W. C. Barnes
189	31	R. E. Barnes	W. C. Barnes
409	last col. of table	$-\Delta/\Delta t$	$-\Delta D/\Delta t$
434	7	with RD as varies	with R as D varies
509	11		transfer between lines 18 and 19.
572	11	H_2	$2H_2$
604	Table 2 Melt II, total carbon ¾″ bar	2.71	3.71
605	Table 3, Melt XI, 4th line from bottom	20.3	2.03
641	Equation (25)	A^3	A
751	11	10^{-7} mho	10^{-17} mho
763	23	Table 3	Table 2

East Eng.
Direct

RESEARCH PUBLICATIONS OF THE BUREAU OF STANDARDS, 1904–1928

1904–1919:

(*a*) BULLETIN OF THE BUREAU OF STANDARDS. A quarterly journal. The Bulletin contained all research papers until, in 1910, it was limited to scientific papers; see (*f*) for technical papers.
(*b*) Reprints [1] from (*a*). Scientific Papers S1 to S329.
(*c*) Volumes [2] of (*a*), cloth bound, consecutively paged and indexed. Volumes 1 to 14.

1919–1928:

(*d*) SCIENTIFIC PAPERS [1] OF THE BUREAU OF STANDARDS (separates continuing series (*b*), Nos. S330 to S572).
(*e*) Volumes [2] of (*d*), cloth bound, consecutively paged and indexed. Volumes 15 to 22.

1910–1928:

(*f*) TECHNOLOGIC PAPERS [1] OF THE BUREAU OF STANDARDS (T1 to T370). Prior to T203 issued only as separates.
(*g*) Volumes [2] of (*f*), cloth bound, beginning with T203, volume designated No. 16, to volume 22; consecutively paged and indexed.

1928:

(*h*) BUREAU OF STANDARDS JOURNAL OF RESEARCH (monthly, about 200 pages per issue), continuing and consolidating series (*d*) and (*f*). Subscription, $2.50 per year (United States, Canada, Cuba, Mexico, Newfoundland, and Republic of Panama; $3.25 elsewhere).
(*i*) Volumes of (*h*), cloth bound, about 1,200 pages each (six monthly issues), consecutively paged and indexed, $3.
(*j*) Separates [1] of (*h*) issued under new series title, RESEARCH PAPERS OF THE BUREAU OF STANDARDS.

CIRCULAR No. 24 contains a list of (*a*) to (*g*) and a subject index of same to June 30, 1925. The SUPPLEMENT TO CIRCULAR No. 24 continues this list and index. These give a complete list and index of all publications to December 31, 1931. The SUPPLEMENT also contains an official list of Government depository libraries in the United States at which the various publications may be consulted. A monthly list of the bureau's publications is now being published. This is free upon request to the bureau.

---

[1] For prices and other information, see CIRCULAR No. 24, and supplement thereto; free on request to the Bureau of Standards.
[2] Volumes 1 to 21, $2 each; 22, $3. Special prices for set, address Superintendent of Documents, Government Printing Office, Washington, D. C.

134799—32

CONTENTS TO VOLUME 8

Vol. 8—January, 1932—No. 1

R. P. No. | Page

396. The Preparation of Crystalline Methyl-*d*-Gulosides by Means of Coordination Compounds with Calcium Chloride. *Horace S. Isbell* 1
397. International Comparison of X-ray Standards. *Lauriston S. Taylor* 9
398. Volumetric Determination of Pentoses and Pentosans. *G. M. Kline and S. F. Acree* 25
399. A Method for Determining the Volume Changes Occurring in Metals During Casting—*C. M. Saeger, jr., and Eugene J. Ash* 37
400. Registration of Cathode Rays by Thin Films of Metals and Metal Compounds—*Warren W. Nicholas and C. G. Malmberg* 61
401. Effect of Casting Temperature and of Additions of Iron on Bearing Bronze (Cu 80 : Sn 10 : Pb 10)—*C. E. Eggenschwiler* 67
402. Ultrasonic Measurements of the Compressibility of Solutions and of Solid Particles in Suspension—*Chester R. Randell* 79
403. On Elimination of Liquid Potentials with Potassium Chloride and Ammonium Chloride. *G. M. Kline, M. R. Meacham, and S. F. Acree* 101
404. An Electrostatic Voltmeter—*Warren W. Nicholas* 111
405. The Heats of Combustion of Methyl and Ethyl Alcohols. *Frederick D. Rossini* 119
406. A Clock-Controlled Constant-Frequency Generator. *A. B. Lewis* 141

Vol. 8—February, 1932—No. 2

407. Deteriorative Effect of Sulphur Dioxide Upon Paper in an Atmosphere of Constant Humidity and Temperature. *Arthur E. Kimberly* 159
408. Tensile Properties of Rail Steels at Elevated Temperatures. *G. Willard Quick* 173
409. The Resistance to Impact of Rail Steels at Elevated Temperatures—*G. Willard Quick* 191
410. Kaolins; Effect of Firing Temperature on Some of Their Physical Properties. *R. A. Heindl, W. L. Pendergast, and L. E. Mong* 199
411. Composite-Coil Electrodynamic Instruments—*Francis B. Silsbee* 217
412. Some Studies of Radio Transmission Over Long Paths Made on the Byrd Antacrtic Expedition—*L. V. Berkner* 265
413. Phase Equilibra in the System SiO_2-ZnO-Al_2O_3—*E. N. Bunting* 279
414. System CaO-Na_2O-Al_2O_3—*L. T. Brownmiller and R. H. Bogue* 289
415. Determination of Tin in Irons and Steels—*J. A. Scherrer* 309

Vol. 8—March, 1932—No. 3

416. Heat of Vaporization of Water at 50°, 70°, and 90° C. *E. F. Fiock and D. C. Ginnings* 321
417. Note on International Comparison of X-ray Standards. *Lauriston S. Taylor* 325
418. The Course of the Oxidation of the Aldose Sugars by Bromine Water—*H. S. Isbell and C. S. Hudson* 327
419. Fluctuations of the Rate of Emissions of α Particles for Weak Sources and Large Solid Angles—*L. F. Curtiss* 339
420. Gases Obtained From Commercial Feldspars Heated in Vacuo. *G. R. Shelton and H. H. Holscher* 347
421. Experiments on the Emission and Absorption of Radiation by Metallic Silver—*F. L. Mohler* 357

R. P. No. — Vol. 8—March, 1932—No. 3—Continued — Page

422. Accelerated Weathering Tests of Soldered and Tinned Sheet Copper — *Peter R. Kosting* 365
423. The Chromium Oxide and the Vanadium Oxide Band Spectra. — *W. F. C. Ferguson* 381
424. Air Density Corrections for X-ray Ionization Chambers. — *Lauriston S. Taylor and George Singer* 385
425. The Arc Spectrum of Phosphorus — *C. C. Kiess* 393
426. Some Physical Properties of Levulose and its Estimation by Copper Reduction Methods. — *Richard F. Jackson and Joseph A. Mathews* 403

Vol. 8—April, 1932—No. 4

427. The Optical Requirements of Airplane Mapping — *I. C. Gardner* 445
428. Note on the Moving Boundary Method for Measuring Transference Numbers. A Pycnometer for Determining the Volume Change Occurring at an Electrode and its Application to a Cathode of Silver Chloride in a Solution of Potassium Chloride — *E. R. Smith* 457
429. Radio Field Intensity Measurements at Frequencies from 285 to 5,400 Kilocycles per Second — *S. S. Kirby and K. A. Norton* 463
430. The Photographic Emulsion: Silver Ion and Hydrogen Ion Concentrations and Sensitivity. — *Burt H. Carroll and Donald Hubbard* 481
431. Capacitance and Power Factor of a Mica Capacitor as Measured at the Bureau of Standards and the National Physical Laboratory. — *Harvey L. Curtis, C. Matilda Sparks, L. Hartshorn, and N. F. Astbury* 507
432. Isolation and Determination of Normal Heptane and of Methylcyclohexane in a Midcontinent Petroleum. Including a Determination of the Phase Equilibrium Diagram for the Condensed System Normal Heptane-Methylcyclohexane. — *Mildred M. Hicks-Bruun and Johannes H. Bruun* 525
433. The Spectral Erythemic Reaction of the Untanned Human Skin to Ultra-Violet Radiation. — *W. W. Coblentz, R. Stair, and J. M. Hogue* 541

Vol. 8—May, 1932—No. 5

434. A Contribution Relative to the Structure of Collagen. — *John Beek, jr.* 549
435. Graphical Determination of Polar Pattern of Directional Antenna Systems — *G. L. Davis and W. H. Orton* 555
436. Manufacture of Calcium Gluconate by the Electrolytic Oxidation of Dextrose. — *Horace S. Isbell, Harriet L. Frush, and F. J. Bates* 571
437. Simplified Automatic Wilson Chamber — *L. F. Curtiss* 579
438. Isolation of Normal Decane from Petroleum by Distillation and Equilibrium Melting. — *Johannes H. Bruun and Mildred M. Hicks-Bruun* 583
439. A Laboratory Apparatus for the Continuous Extraction of Liquids by Low Boiling Solvents — *R. T. Leslie* 591
440. Volume Changes of Cast Irons During Casting. — *E. J. Ash and C. M. Saeger, jr.* 601
441. A Study of the Delta Lactones by the Oxidation of Aldoses With Bromine Water — *Horace S. Isbell* 615
442. Effect of Antimony on the Mechanical Properties of a Bearing Bronze (Cu 80 : Sn 10 : Pb 10) — *C. E. Eggenschwiler* 625
443. Investigation of the Method of Determining the Relation of Statical Hysteresis and Flexural Stress by Measurement of the Decrement of a Freely Vibrating U Bar. — *G. H. Keulegan* 635
444. An Unrecognized Property of the Reversible Pendulum. — *Paul R. Heyl* 657
445. A Method for the Accurate Determination of Cobalt in Magnetic and High-Speed Tool Steels — *James I. Hoffman* 659

Vol. 8—June, 1932—No. 6

R. P. No.		Page
446.	A Method for Determining the Most Favorable Design of Gas Burners. *John H. Eiseman, Elmer R. Weaver, and Francis A. Smith*	699
447.	The Photographic Emulsion: Analysis for Nonhalide Silver and Soluble Bromine. *Burt H. Carroll and Donald Hubbard*	711
448.	International Comparison of Electrical Standards. *George W. Vinal*	729
449.	A Method for the Purification of Rubber and Properties of the Purified Rubber. *A. T. McPherson*	751
450.	Tests of a Balanced Thermocouple and Filter Radiometer as a Standard Ultra-Violet Dosage Intensity Meter. *W. W. Coblentz, R. Stair, and J. M. Hogue*	759
451.	The Isoelectric Point of Wool. *Milton Harris*	779
452.	An Optical Method for Measuring Temperature Distribution and Convective Heat Transfer. *R. B. Kennard*	787
Index		807

○